

Initial Reporting Form For Suspected Or Confirmed Norovirus Or Other Gastroenteritis Outbreaks

General Information								
Today's Date:	/	<i>J</i>	County:			Region:		
Local Health Department:		Outbreak # KY:						
Primary Contact for Investigation:				Telepho	one:			
LHD Nurse (if different from above):				Telepho (if differen from abov	nt			
LHD Environmentalist (if different from above):				Telepho (if different from abov	nt			
Regional Epidemiologist (if different from above):				Telepho (if different from abov	nt			
Facility /Facility	h							
Facility/Establishment Information								
Facility/Establish								
Facility/Establish								
Facility/Establishment Contact Person:								
Facility/Establishment Phor								
Facility/Establish	nment Loca	tion: City: County:						
Outbreak Information								
Date index case became ill?		Index case = re other?			= res	ident, staff	, visitor, or	
			1	1				
Number of ill residents/persons today(x_1):			Number of III Staff today(x ₂):					
Total Number of residents/persons (y ₁):				Total Number of Staff (y ₂):				
Resident/Persons Attack Rate % (x ₁ /y ₁ x 100) Staff Attack Rate % (x ₂ /y ₂ x 100)						(x ₂ /y ₂ x 100)		
Illness Characteristics								
List of predominant symptoms:								
List of other symptoms:								

Average Duration of Illness (hours or days):						
Number of Residents/Persons Admitted to the Hospital:	Number of Staff Admitted to the Hospital:					
Number of Residents/Persons seen by a Healthcare Provider:	Number of Staff seen by a Healthcare Provider:					
Number of Residents/Persons who have died:	Number of Staff who have died:					
Case Definition:						
Control Measures Implemented (Provide a brief	description of control measures being implemented by the facility)					
Control Measures Implemented (Fronde a brief	description of control measures being implemented by the facility)					
Environmental Assessment:						
Conducted: ☐ Yes ☐ No ☐	te (conducted/will be conducted)					
	, , , , , , , , , , , , , , , , , , , ,					
Review of Guidelines to Limit Transmission						
General Prevention of GI Illness:						
	ands frequently with soap and water. Alcohol-based					
	sanitizing hand gel (> 62% ethanol content) may be used to complement hand washing with					
soap and water.						
 Wash fruits and vegetables and cook 	all foods thoroughly					
□ Promptly refrigerate prepared foods						
☐ When sick, do not prepare food or care for others who are sick.						
Clean and disinfect contaminated surfaces						
 Avoid recreational water venues while symptomatic and for the appropriate time after symptoms have resolved 						
symptoms have resolved						
Food Handlers, Healthcare Workers, and Ch	ild Care Workers					
☐ Exclude from food handling, patient care, and childcare during the acute phase of illness and for						
at least 3 days after symptoms have	resolved.					
$\ \square$ Inform environmental health specialist at the LHD or at KDPH Reportable Disease Section if a						
food handler has been excluded.						
Child Care Center or School Outhreaks						
	Child Care Center or School Outbreaks					
occurring to advise them of the outbreak and to coordinate information sharing and control						
occurring to advise them of the outh	th Consultant assigned to the county where the outbreak is reak and to coordinate information sharing and control					
occurring to advise them of the outb measures.						

Initial Reporting Form for Suspected or Confirmed Norovirus or Other Gastroenteritis Outbreaks

	Recommend supervised hand washing of all children in the classroom/childcare center, if					
	handwashing practices are questionable.					
	Inform parents of outbreak by sending email messages, letters, or signage.					
	Clean and disinfect diapering area and potty chairs after each use and bathroom toilets, sinks,					
	toys, desks/tables, and other high-touch areas at least daily and when soiled.					
	Clean and sanitize mouthed toys, objects, and surfaces at least daily and when soiled.					
	Encourage ill individuals to seek medical care and testing for suspected pathogens.					
Long Term Care Facility/Medical Facility/Institutional Setting Outbreaks						
	Exclude symptomatic individuals until asymptomatic					
	Suspend group activities (including group meals)					
	Close facilities/units to new admissions					
	Advise EMS/hospital/facility when transferring symptomatic persons.					
	Limit outside visitors					
	Inform visitors, suppliers, and vendors of outbreak by posting signage around the facility.					
	Segregate ill individuals from well individuals					
	Cohort ill individuals, if possible					
	Avoid cross-coverage of staff between units with illness and without.					
	Use appropriate contact precautions (Personal Protective Equipment (PPE) – gowns, gloves, and					
	surgical mask, as appropriate).					
	Clean and disinfect high-touch areas and bathroom surfaces at least daily and when visibly					
	soiled.					
	Clean and sanitize food/mouth contact items, stainless steel, and food contact surfaces at least					
	daily and when soiled.					
	Clean and sanitize kitchen, including food prep areas, serving areas, food contact equipment,					
	utensils, bus carts, food transport carts, dining room tables and chairs, and ice machines.					
	Limit access to ice machines to designated food service staff only.					
	Recommend environmental health inspect facility and health department personnel educate on					
	appropriate control measures.					
Additio	onal LHD Actions					
Please collect appropriate specimens for testing.						
	ct a site visit with an environmentalist so an inspection can be done.					